

建設機械諸元データ

トラッククレーン

メーカー	名称	最大定格荷重 (t)	車両総重量 (t)	アウトリガー寸法(mm)					車輪寸法(mm)					
				前後間隔	左右間隔			リガ幅	前後間隔					左右間隔
					最大	中間	最小		(1)	(2)	(3)	(4)	(5)	
タダノ	TS-55M	4.900	6.225		3,620	2,800		180	2,460					
	TS-80R	8.000	8.380		4,400	3,000	2,000	200	3,600					1,705
	TS-75ML	7.000	7.960		4,400	3,000		260	3,220					
	TL-160M	16.000	19.850	4,650	5,800	4,000		400	4,050	1,300				1,845
	TL-200M	20.000	23.560	2,950	6,100	4,000		400	4,050	1,300				1,860
	TL-300M	30.000	31.680	5,250	6,100	4,000		400	1,520	3,530	1,300			1,860
	TG-350M	35.000	34.900	5,400	6,600	4,600		400	1,470	3,780	1,400			
	TG-450M	45.000	37.230	5,670	6,800	4,600		400	1,450	3,850	1,350			2,050
	TG-1000R	100.000			8,200	7,200	5,400		1,500	3,300	1,400			
	TG-1600M	160.000		5,730	8,000	6,000			1,500	4,300	1,500			
	TG-3600M	360.000			8,500	7,000	5,900	700	1,500	2,800	1,950	1,500	1,500	
住友	ST350M	35.000	37.300	5,100	5,600				1,470	3,780	1,400			2,110
	ST350MT	35.000	40.500	5,100	5,600				1,470	3,780	1,400			2,110
	HC-78RM	35.000	35.000	5,100	5,600				1,470	3,780	1,400			2,110
	HC-78RMT	35.000	35.000	5,100	5,600				1,470	3,780	1,400			2,110
	ST500M	50.000	51.400	5,510	6,200				1,470	4,060	1,470			2,480
	HC-118RM	50.000	50.400	5,510	6,200				1,470	4,060	1,470			
	SA800	80.000		6,375	7,400				2,550	1,900	1,650			
	SA1000	100.000		6,375	7,400				2,550	1,900	1,650			
	SA-1100	110.000		7,400	7,000	5,300			2,600	2,900	1,650			
	SA1200	120.000		7,400	7,000	5,300			2,600	2,900	1,650			
	HC-248RH	150.000	128.000	5,765	7,000				1,550	4,350	1,500			2,520
	SA1700	170.000		8,800	8,400	6,200	4,000		2,750	2,375	1,650	1,650		
	HC-268RH	200.000	150.000	5,800	7,200				1,500	4,300	1,500			2,830
	SA2500	250.000		9,675	9,400	7,200	5,400	800	2,950	1,650	1,650	1,700	1,700	2,522
	ST-3600	360.000		7,520	8,600	6,800	6,100		1,500	2,800	1,950	1,500	1,500	

建設機械諸元データ

クローラクレーン

基本ブーム、フックのみ

メーカー	名称	最大定格荷重 (t)	車両総重量 (t)	キャタピラ寸法(mm)			
				接地長さ	キャタピラ間隔		キャタ幅
					拡張時	縮小時	
コベルコ	7035	35.000	38.000	4,310	4,180	3,300	760
	7045	45.000	45.000	4,520	4,300	3,300	760
	7055	55.000	50.700		4,400	3,300	760
	7065	65.000	59.600		4,640	3,400	800
	7080	80.000	77.900		4,900	3,500	900
	7150	150.000	150.000			5,600	1,070
	7250	250.000	200.000	8,060	6,380	5,480	1,220
	7450	450.000	335.000	9,840		8,000	1,500
日立	KH100D	30.000	33.100	3,710		2,640	760
	KH125-3	35.000	36.600	4,250	3,250	2,590	760
	KH150-3	40.000	41.000	4,295	3,300	2,540	760
	CX500	50.000	49.500	4,710	3,600	2,540	760
	CX550	55.000	52.300	4,710	3,600	2,540	760
	KH230-3	60.000	59.300	4,890	3,740	2,730	760
	KH250HD	65.000	67.400	4,880	3,740	2,590	760
	KH300-3	80.000	74.600	5,310	3,980	2,650	850
	KH500-3	100.000	106.000	6,640	5,250	4,560	940
	KH850-3	150.000	152.000	7,200	5,630	4,830	1,070
	KH1000	200.000	170.000	7,480	5,800	4,630	1,270
住友	SC350	35.000	40.300	4,210	3,300	2,540	760
	LS-78RM	35.000	36.200	4,320		3,300	760
	LS-78RH-5	35.000	38.500	4,220	3,300	2,540	760
	SC400	40.000	41.500	4,425	3,450	2,540	760
	LS-108RH-5	40.000	41.000	4,425	3,450	2,540	760
	SC500-3	50.000	55.000	4,900	3,590	2,440	760
	LS-118RH-5	50.000	50.500	4,840	3,590	2,540	760
	LS-118RM	50.000	46.300	4,740		3,590	760
	LS-118RHT	50.000	54.000	4,840	3,590	2,540	760
	LS-120RH-5	60.000	58.500	5,000	3,850	2,660	810
	SC650	65.000	63.300	5,025	3,850	2,580	810
	SC650-3	65.000	68.800	5,150	4,030	2,400	800
	SC800	80.000	84.100	5,375	4,100	2,670	810
	LS-218RH-5	80.000	74.000	5,340	4,000	2,660	810
	SC900-3	90.000	85.000	5,375	4,180	2,690	810
	SC1000	100.000	111.500	6,615		5,250	965
	LS-238RH5	100.000	100.000	6,690		5,100	965
	LS-248RH-5	150.000	152.400	7,860	5,620	4,780	1,118
	SC1500	150.000	167.500	7,860		5,750	1,118
	SC3500	350.000	294.000	8,938		7,500	1,290
CT10000	500.000	450.000	10,000		8,200	1,524	
CT12000	650.000	495.000	10,550		8,700	1,524	